OPTIMAL DRY AUTOMATIC WHITE GOLD

Automatic hand dryer ideal for installation in elegant service rooms



Optimal Dry Automatic White Gold code 19218





KEY FEATURES

- Exclusive aesthetics.
- Compact size, facilitating installation in small sized rooms too.
- Automatic operation: the hand dryer is fitted with an infra-red device that automatically starts the product when hands enter the sensor detection field; sensor sensitivity can be adjusted (from 0 to 35 cm), by means of a trimmer mounted on inner PCB.
- Safe and reliable use, thanks to devices protecting motor and heating element.

- Anti-vandal protection: the product automatically stops when intake grill and/or nozzle are, accidentally or intentionally, blocked.
- Easy installation and maintenance: all inner components are directly accessible by removing the front cover.
- Low emissions of pollutants: absence of universal motor brushes prevents dispersion in air of carbon residues.








TECHNICAL DATA

Models	Code	V	Hz	W total	W motor	A max	Max A	Airflow I/s	Lp dB(A)* 1 m	W stand-by	IK	Kg
OPTIMAL DRY AUTOMATIC WHITE GOLD	19218	220-240	50/60	2000	65	9	170	47	61.4	0.4550	9	2.6



DIMENSIONS



	А	В	С	D	Е
OPTIMAL DRY AUTOMATIC WHITE GOLD	416	477	317	195	195

Dimensions (mm)



